

STIO Search Report

STIC Database Tracking Number: 169601

TO: Faye Francis Location: RND 9a60

Art Unit: 3725

Thursday, October 27, 2005

Case Serial Number: 10/790616

From: Ethel Leslie Location: EIC 3700

RND 8A34

Phone: 571-272-5992

Ethel.leslie@uspto.gov

Search Notes

Faye,

Attached is the completed search for a foam rocking horse. I searched the inventors in the patent literature and the results are included. I did an extensive search on the requested topic in bibliographic and full-text databases as well as on the Internet. I found a couple of items that I think might help you – they are marked with green flags. Please be sure to look over all the results as there may be other items of interest. I have attached the search strategies used for the searches performed.

If you have a moment, please fill out the attached STIC Feedback Form. If there is anything I can do to refine or revise this search, please let me know.

Sincerely, Ethel Leslie



```
Set
        Items
                Description
S1
        15958
                HORSE? ? OR HORSIE OR HORSEY OR EQUINE? OR STALLION OR PON-
             Y? ? OR PONIES
S2
                FOAM?? OR RUBBER???? OR LATEX OR PLASTIC? OR FLEXIBLE (2N) M-
      1351231
             ATERIAL?
S3
        52937
                ROCKING OR ROCKER OR CURV??? (5N) BASE
S4
       218940
                TOY OR TOYS OR ANIMAL? ? OR CHAIR? ?
S5
        37352
                LEATHER? OR (ANIMAL OR TANNED OR COW) () (HIDE OR HIDES OR S-
             KIN OR SKINS OR PELT OR PELTS) OR COWHIDE? ?
S6
               SKID OR SKIDS OR SKIDDED OR SKIDDING OR SLIP OR SLIPS OR S-
       781936
             LIPPED OR SLIPPING OR SLID OR SLIDING OR SLIDE? ?
      3357305 PREVENT? OR STOP OR STOPS OR STOPPING OR STOPPED
S7
S8
        1601
                NONSKID???? OR NONSLIP? OR NONSLID??? OR SKIDPROOF?
S9
      2632151
                PY=2004:2005
S10
      2973639
                PY=2002:2003
S11
        32952
                IC=A63H?
S12
           92
                S1(5N)S3
                S12 AND S2
S13
           8
           15
S14
                S1 AND S2 AND S3
S15
           7
                S14 NOT S13
         859
S16
                S3 (5N) S4
S17
        58459
                S6 (5N) S7
                S16 AND S5 AND (S8 OR S17)
S18
           0
S19
                S16 AND S5
            3
S20
                S12 AND S5
            1
S21
                S20 NOT S19
           0
File 347: JAPIO Nov 1976-2005/Jun (Updated 051004)
         (c) 2005 JPO & JAPIO
File 350:Derwent WPIX 1963-2005/UD, UM &UP=200568
```

(c) 2005 Thomson Derwent

٢

```
13/5/2
            (Item 1 from file: 350)
DIALOG(R) File 350: Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.
014205872
             **Image available**
WPI Acc No: 2002-026569/200203
XRPX Acc No: N02-020499
   Rocking
            horse includes a curved
                                        base for rocking and an
  arrangement for moving horse in connection with rocking
Patent Assignee: SUKRAM OY (SUKR-N)
Inventor: TOLONEN M
Number of Countries: 095 Number of Patents: 005
Patent Family:
Patent No
              Kind
                     Date
                             Applicat No
                                           Kind
                                                 Date
                                                           Week
WO 200187442
             Al 20011122 WO 2001FI491
                                                20010521
                                           Α
                                                          200203 B
FI 200001207
                   20011120 FI 20001207
              Α
                                            Α
                                                20000519
                                                          200215
AU 200162377
              Α
                   20011126 AU 200162377
                                                20010521
                                            Α
                                                          200222
EP 1286736
              A1
                   20030305 EP 2001936480
                                           Α
                                                20010521
                                                          200319
                            WO 2001FI491
                                           Α
                                                20010521
FI 114616
               B1
                   20041130 FI 20001207
                                                20000519 200479
                                           Α
Priority Applications (No Type Date): FI 20001207 A 20000519
Patent Details:
Patent No Kind Lan Pg
                        Main IPC
                                    Filing Notes
WO 200187442 A1 E 12 A63G-015/04
   Designated States (National): AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA
   CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP
   KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT
   RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
   Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR
   IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZW
FI 200001207 A
                      A63G-015/04
AU 200162377 A
                      A63G-015/04
                                    Based on patent WO 200187442
EP 1286736
             Al E
                      A63G-015/04
                                    Based on patent WO 200187442
   Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT
   LI LT LU LV MC MK NL PT RO SE SI TR
FI 114616
              B1
                      A63G-015/04
                                   Previous Publ. patent FI 200001207
Abstract (Basic): WO 200187442 A1
        NOVELTY - The horse (1A) has an arrangement for rocking in a
    curved bottom of it's base (3) in the vicinity of an end (3a) of an
    elastic and flexible foam plastic structure (6). The structure
    consists of ridges or similar protruding members transverse to the
    direction of curving so that the cross section of the structure in
    side-view is comb-like. The ridges or protruding members yield and bend
    by the action of the mass and the rocking motion (B) of the horse
    allowing the device to move.
        USE - None given.
        DESCRIPTION OF DRAWING(S) - The figure shows a schematic side view
    of an embodiment of the rocking
        Rocking
                  horse (1A)
        Base of rocking
                         horse (3)
        End of foam
                     plastic structure of rocking
                                                      horse (3a)
        Foam plastic structure of rocking
                                               horse (6)
        Rocking motion of horse . (B)
       pp; 12 DwgNo 1a/6
Title Terms: ROCK; HORSE; CURVE; BASE; ROCK; ARRANGE; MOVE; HORSE; CONNECT;
 ROCK
Derwent Class: P36
```

International Patent Class (Main): A63G-015/04

International Patent Class (Additional): A63G-013/00; A63G-019/00; A63G-013-00 File Segment: EngPI 13/5/3 (Item 2 from file: 350) DIALOG(R) File 350: Derwent WPIX (c) 2005 Thomson Derwent. All rts. reserv. 013311991 **Image available** WPI Acc No: 2000-483928/200043 XRAM Acc No: C00-145835 XRPX Acc No: N00-359641 Child's rocking toy e.g. stylized rocking horse , comprises semi-rigid plastic foam with wear resistant curved base Patent Assignee: KUEGLER J (KUEG-I) Inventor: KUEGLER J Number of Countries: 024 Number of Patents: 010 Patent Family: Patent No Kind Date Applicat No Kind Date Week DE 19860830 A1 20000706 DE 198060830 19981230 200043 B Α WO 200040314 20000713 WO 99EP10482 A1 19991230 200043 Α EP 1146938 A1 20011024 EP 99965584 Α 19991230 200171 WO 99EP10482 Α 19991230 KR 2001086463 A 20010912 KR 2001708132 Α 20010625 200219 CN 1332651 Α 20020123 CN 99815230 19991230 Α 200231 JP 2002534174 20021015 WO 99EP10482 W Α 19991230 200282 JP 2000592062 19991230 Α EP 1146938 B1 20030409 EP 99965584 19991230 Α 200325 WO 99EP10482 19991230 Α DE 59905007 G 20030515 DE 99505007 19991230 Α 200340 EP 99965584 Α 19991230 WO 99EP10482 Α 19991230 ES 2192100 Т3 20030916 EP 99965584 Α 19991230 200368 US 20040259461 A1 20041223 WO 99EP10482 Α 19991230 200504 US 2001869272 Α 20010626 US 2004790616 Α 20040301 Priority Applications (No Type Date): DE 198060830 A 19981230 Patent Details: Patent No Kind Lan Pg Main IPC Filing Notes DE 19860830 A1 4 A63G-015/00 WO 200040314 A1 G A63G-013/06 Designated States (National): CA CN JP KR US Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE EP 1146938 A1 G A63G-013/06 Based on patent WO 200040314 Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE KR 2001086463 A A63G-013/06 CN 1332651 Δ A63G-013/06 JP 2002534174 W 14 A63G-013/06 Based on patent WO 200040314 EP 1146938 B1 G A63G-013/06 Based on patent WO 200040314 Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE DE 59905007 A63G-013/06 Based on patent EP 1146938 Based on patent WO 200040314 ES 2192100 Т3 A63G-013/06 Based on patent EP 1146938

A63H-033/00

Cont of application WO 99EP10482 Cont of application US 2001869272

US 20040259461 A1

```
Abstract (Basic): DE 19860830 A1
        NOVELTY - Unitary main body (1) of child's rocking toy comprises
    resilient plastic . Its base has a singly curved surface (2). The seat
    area (3) is molded in .
        USE - Used as a rocking
                                  horse . Brings visible delight and
    healthy exercise.
        ADVANTAGE - There is no danger of trapping between a fixed object
    and the toy. There are no potentially dangerous mechanical linkages.
    Stylization offers a more simply manufactured shape. The seat can be
    formed in deeply for good support, to prevent falls. The broad base
    enhances stability.
        DESCRIPTION OF DRAWING(S) - Toy in perspective view.
        Main body (1)
        Base (2)
        Seat (3)
        pp; 4 DwgNo 1/2
Title Terms: CHILD; ROCK; TOY; STYLE; ROCK; HORSE; COMPRISE; SEMI; RIGID;
  PLASTIC ; FOAM ; WEAR; RESISTANCE; CURVE; BASE
Derwent Class: A86; P36
International Patent Class (Main): A63G-013/06; A63G-015/00; A63H-033/00
International Patent Class (Additional): A63H-033/00
File Segment: CPI; EngPI
 13/5/4
            (Item 3 from file: 350)
DIALOG(R) File 350: Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.
013066477
             **Image available**
WPI Acc No: 2000-238349/200021
XRPX Acc No: N00-178811
  Walking rocking
                    horse for children is moved by sideward weight
  displacement of rider
Patent Assignee: FORSTER G (FORS-I); MACHT K (MACH-I)
Inventor: FORSTER G
Number of Countries: 001 Number of Patents: 002
Patent Family:
Patent No
            Kind
                    Date
                            Applicat No
                                           Kind
                                                  Date
                                                           Week
DE 19839264
            A1 20000309 DE 1039264
                                           Α
                                                19980828 200021 B
DE 29824878 U1 20030213 DE 1039264
                                            Α
                                                19980828
                                                          200320
                            DE 98U2024878
                                           U
                                                19980828
Priority Applications (No Type Date): DE 1039264 A 19980828; DE 98U2024878
  U 19980828
Patent Details:
Patent No Kind Lan Pg
                        Main IPC
                                    Filing Notes
DE 19839264 A1 7 A63G-019/18
DE 29824878
             U1
                      A63G-019/18
                                   Application no.
                                                      DE 1039264
Abstract (Basic): DE 19839264 A1
        NOVELTY - The rocking horse has a body (1) with seat (11), and
    legs (2) with feet (3). When a rider sitting on the seat displaces his
    body weight to left and right, the body moves alternately to left and
    right, and causes the legs to execute a walking movement. The body has
    four legs, arranged in opposite pairs, and the legs are moveable in
    longitudinal direction, but are non-moveable at right angles to that
    direction. Body and/or legs are of thermoplastic material or timber.
        USE - As a child's toy.
        ADVANTAGE - More attractive play.
       DESCRIPTION OF DRAWING(S) - The drawing shows a side view of the
   rocking horse .
       body (1)
```

```
feet (3)
        seat (11)
        pp; 7 DwgNo 1/5
Title Terms: WALKING; ROCK; HORSE; CHILD; MOVE; SIDEWAYS; WEIGHT;
  DISPLACEMENT; RIDE
Derwent Class: P36
International Patent Class (Main): A63G-019/18
File Segment: EngPI
 13/5/5
            (Item 4 from file: 350)
DIALOG(R) File 350: Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.
007339688
WPI Acc No: 1987-336694/198748
XRAM Acc No: C87-143672
XRPX Acc No: N87-252076
   Rocking
           horse - has rigid front attached to curved base and handle at
  top of front for child standing on the base
Patent Assignee: POULOUIN A (POUL-I)
Inventor: POULOUIN A
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No
            Kind Date
                             Applicat No
                                            Kind
                                                   Date
                                                            Week
FR 2596666
              A 19871009 FR 864956
                                            Α
                                                 19860404 198748 B
Priority Applications (No Type Date): FR 864956 A 19860404; FR 867263 A
  19860520
Patent Details:
Patent No Kind Lan Pg
                         Main IPC
                                     Filing Notes
FR 2596666
Abstract (Basic): FR 2596666 A
        A rocking horse has a rigid front attached to a curved base,
    and a handle at the upper end of the front which can be gripped by a
    child standing on the base.
        The handle is pref. a bar. The base and front are pref. integral
    and of hollow or solid moulded plastic .
        ADVANTAGE - The rocking
                                  horse is cheap, compact, easy to use,
    and can be mounted by very small children.
        0/1
Title Terms: ROCK; HORSE; RIGID; FRONT; ATTACH; CURVE; BASE; HANDLE; TOP;
  FRONT; CHILD; STAND; BASE
Derwent Class: A86; P36
International Patent Class (Additional): A63G-013/00
File Segment: CPI; EngPI
 13/5/6
            (Item 5 from file: 350)
DIALOG(R) File 350: Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.
004212878
WPI Acc No: 1985-039758/198507
XRPX Acc No: N85-029568
 Wooden rocking horse - has rubber sleeve between front and back
 uprights and pivots on body and base
Patent Assignee: BAJCZMAN R (BAJC-I)
```

legs (2)

Inventor: BAJCZMAN R

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Kind Date Applicat No Kind Date Week FR 2548034 A 19850104 FR 8310857 A 19830630 198507 B

Priority Applications (No Type Date): FR 8310857 A 19830630

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

FR 2548034 A 6

Abstract (Basic): FR 2548034 A

The **rocking** horse has a body (1) that is articulated to a base (15) by front (8) and back uprights (9). These pivot on axles on the body (10,11) and the base (14.15) and form a parallelogram.

The uprights are pulled back to a central position by a **rubber** sleeve (20) that is stretched between two removable bars (21,22). These bars are fixed on the ends of two arms (24.25) which are fixed on the centre of the uprights.

USE/ADVANTAGE - The wooden **rocking horse** , for children's play-grounds, is simple, light and cheap to manufacture.

1/2

Title Terms: WOOD; ROCK; HORSE; RUBBER; SLEEVE; FRONT; BACK; UPRIGHT;

PIVOT; BODY; BASE Derwent Class: P36

International Patent Class (Additional): A63G-013/08

File Segment: EngPI

13/5/7 (Item 6 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2005 Thomson Derwent. All rts. reserv.

001312421

WPI Acc No: 1975-K6342W/197539

Toy rocking horse which can be moved forward automatically - has rear legs or rods which are articulated and move on rocking

Patent Assignee: SCHWEIZER O (SCHW-I)

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Kind Date Applicat No Kind Date Week FR 2253540 A 19750808 197539 B

Priority Applications (No Type Date): FR 7344078 A 19731210

Abstract (Basic): FR 2253540 A

The toy (1) has wheels (4) on which it rolls forward and a block

- (5) which stops its advance. On rocking backwards the articulated legs
- (2) are pressed onto the ground which propels the toy forward on the wheels. On rocking forward the block is pressed onto the ground which stops the forward movement and puts the articulated legs into the right position for a further forward movement. The body of the toy (1) can be of any shape and can be made in wood or in **plastics**. The device can also be used for moving heavy weights in factories.

Title Terms: TOY; ROCK; HORSE; CAN; MOVE; FORWARD; AUTOMATIC; REAR; LEG; ROD; ARTICULATE; MOVE; ROCK

Derwent Class: P36; Q23

International Patent Class (Additional): A63G-015/04; B62M-029/02

File Segment: EngPI

13/5/8 (Item 7 from file: 350)
DIALOG(R)File 350:Derwent WPIX

(c) 2005 Thomson Derwent. All rts. reserv.

000579933

WPI Acc No: 1968-18511Q/196800

Sectionalised blow-moulded plastic toys esp rocking horses

Patent Assignee: RUFRAN'S PLASTIC SRL (RUFS) Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Kind Date Applicat No Kind Date Week IT 750007 B 196800 B

Priority Applications (No Type Date): IT 650 A 19651209

Abstract (Basic): IT 750007 B

Improvements in the production of plastic toys, particularly rocking horses, manufactured from blow-moulded parts which can be readily assembled or dismantled. In the case of a rocking horse, the parts comprise (a) the body, (b) the front and back legs, each pair of which are a single extension piece of the body and carry at their termination a transverse slot opening into a hole, which fits over a central flat portion on (c) plastic rods used to hold (d) the separate curved rocking plates together by means of plastic units screwed onto the threaded ends. The rod rods are prevented from turning in the rocker plates by fitting them into square section holes in the plate and have a square or hexagonal part on the end of the rod just beyond the terminal thread.

The part can be produced at low cost, are strong and durable and can be replaced when worn out. Transport and packing costs are reduced by dismantling before shipping

Title Terms: SECTION; BLOW; MOULD; PLASTIC ; TOY; ROCK; HORSE

Derwent Class: A00 File Segment: CPI

?

19/5/1 (Item 1 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2005 JPO & JAPIO. All rts. reserv.

06818675 **Image available**

ROCKING CHAIR

PUB. NO.: 2001-046168 [JP 2001046168 A] PUBLISHED: February 20, 2001 (20010220)

INVENTOR(s): KUMAKAWA YOSHIYUKI

APPLICANT(s): KEEPU KK

APPL. NO.: 11-226821 [JP 99226821] FILED: August 10, 1999 (19990810)

INTL CLASS: A47C-003/021; A47C-007/54; A61G-005/00

ABSTRACT

PROBLEM TO BE SOLVED: To apply a soothing effect to an old person or a dementia patient by arranging a backrest with a high-back specification, a seat face, a pair of leg sections made of hard steel wires and arranged obliquely, downward, and forward from the right and left end sections of the backrest, and a U-shaped pedestal fixed with the lower sections of the leg sections.

SOLUTION: This rocking chair 10 has a backrest 11 with a high-back specification, and a seat face 12 extended obliquely downward at the tip section is fixed to the lower end section of the backrest 11. The inner skeleton structure of the backrest 11 and seat face 12 is made of a steel in view of strength and durability, a surface sheet is made of antibacterial vinyl leather, and chips are stored inside. A pair of leg sections made of two parallel hard steel lines with the diameter of about 10 mm are provided in the downward curved state obliquely, downward, and forward from the right and left end sections of the backrest 11. The lower ends of the leg sections 13 are bent and fixed to a nearly U-shaped pedestal 14, and a pair of trapezoidal stoppers 15 are arranged near the tip sections of the pedestal 14.

COPYRIGHT: (C) 2001, JPO

19/5/2 (Item 1 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2005 Thomson Derwent. All rts. reserv.

013311991 **Image available**
WPI Acc No: 2000-483928/200043

XRAM Acc No: C00-145835 XRPX Acc No: N00-359641

Child's rocking toy e.g. stylized rocking horse, comprises semi-rigid plastic foam with wear resistant curved base

Patent Assignee: KUEGLER J (KUEG-I)

Inventor: KUEGLER J

Number of Countries: 024 Number of Patents: 010

Patent Family:

Patent No Kind Date Applicat No Kind Date Week
DE 19860830 Al 20000706 DE 198060830 A 19981230 200043 B
WO 200040314 Al 20000713 WO 99EP10482 A 19991230 200043
EP 1146938 Al 20011024 EP 99965584 A 19991230 200171
WO 99EP10482 A 19991230
KR 2001086463 A 20010912 KR 2001708132 A 20010625 200219
CN 1332651 A 20020123 CN 99815230 A 19991230 200231

```
JP 2002534174 W
                                          A 19991230 200282
                  20021015 WO 99EP10482
                            JP 2000592062 A
                                               19991230
EP 1146938
              B1 20030409 EP 99965584 A
                                               19991230 200325
                            WO 99EP10482 A
                                               19991230
DE 59905007
              G
                  20030515 DE 99505007 A
                                               19991230 200340
                                          Α
                            EP 99965584
                                               19991230
                            WO 99EP10482 A
                                               19991230
                                          Α
ES 2192100
              T3 20030916 EP 99965584
                                              19991230 200368
                                          A
US 20040259461 A1 20041223 WO 99EP10482
                                               19991230 200504
                            US 2001869272
                                          Α
                                                20010626
                            US 2004790616
                                          Α
                                                20040301
Priority Applications (No Type Date): DE 198060830 A 19981230
Patent Details:
Patent No Kind Lan Pg
                                    Filing Notes
                       Main IPC
DE 19860830 A1 4 A63G-015/00 WO 200040314 A1 G A63G-013/06
   Designated States (National): CA CN JP KR US
   Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LU
  MC NL PT SE
EP 1146938
            A1 G
                      A63G-013/06
                                  Based on patent WO 200040314
   Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
  LU MC NL PT SE
KR 2001086463 A
                      A63G-013/06
CN 1332651
                      A63G-013/06
            Α
JP 2002534174 W
                   14 A63G-013/06
                                    Based on patent WO 200040314
EP 1146938 B1 G
                      A63G-013/06
                                   Based on patent WO 200040314
  Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
   LU MC NL PT SE
DE 59905007
                      A63G-013/06
                                    Based on patent EP 1146938
                                    Based on patent WO 200040314
ES 2192100
            Т3
                     A63G-013/06
                                    Based on patent EP 1146938
US 20040259461 A1
                       A63H-033/00
                                    Cont of application WO 99EP10482
                                    Cont of application US 2001869272
Abstract (Basic): DE 19860830 A1
       NOVELTY - Unitary main body (1) of child's rocking
    comprises resilient plastic. Its base has a singly curved surface
    (2). The seat area (3) is molded in .
       USE - Used as a rocking horse. Brings visible delight and healthy
    exercise.
       ADVANTAGE - There is no danger of trapping between a fixed object
    and the toy. There are no potentially dangerous mechanical linkages.
   Stylization offers a more simply manufactured shape. The seat can be
    formed in deeply for good support, to prevent falls. The broad base
    enhances stability.
       DESCRIPTION OF DRAWING(S) - Toy in perspective view.
       Main body (1)
       Base (2)
       Seat (3)
       pp; 4 DwgNo 1/2
Title Terms: CHILD; ROCK; TOY; STYLE; ROCK; HORSE; COMPRISE; SEMI; RIGID:
 PLASTIC; FOAM; WEAR; RESISTANCE; CURVE; BASE
Derwent Class: A86; P36
International Patent Class (Main): A63G-013/06; A63G-015/00; A63H-033/00
International Patent Class (Additional): A63H-033/00
File Segment: CPI; EngPI
```

19/5/3 (Item 2 from file: 350) DIALOG(R) File 350:Derwent WPIX

(c) 2005 Thomson Derwent. All rts. reserv.

007194900

WPI Acc No: 1987-191909/198727

XRPX Acc No: N87-143677

Frame for fabric chair - comprises one-piece rigid frame or stackable, foldable frame

Patent Assignee: NELSON J M (NELS-I)

Inventor: NELSON J M

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Kind Date Applicat No Kind Date Week US 4674795 A 19870623 US 86883963 A 19860710 198727 B

Priority Applications (No Type Date): US 86883963 A 19860710

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

US 4674795 A 9

Abstract (Basic): US 4674795 A

The material of the seat, such as fabric or <code>leather</code>, is supported by the frame in partial tension to avoid sagging and to allow independent torsional movement of the seat portions supporting each leg of the chair user. The chair frame geometry and the tensioned seat provide a flexible chair that provides a new seating experience that combines lounge and <code>rocking chair</code> type characteristics.

Additionally, the chair frame can be provided as a one piece rigid frame or a stackable, foldable, or collapsible frame.

USE - A chair frame for supporting a seat and seat back. 1/15

Title Terms: FRAME; FABRIC; CHAIR; COMPRISE; ONE; PIECE; RIGID; FRAME;

STACK; FOLD; FRAME Derwent Class: P26

International Patent Class (Additional): A47C-003/04

File Segment: EngPI

?

```
Set
        Items
                Description
S1
        34307
                HORSE? ? OR HORSIE OR HORSEY OR EQUINE? OR STALLION OR PON-
             Y? ? OR PONIES
S2
       559562
               FOAM?? OR RUBBER???? OR LATEX OR PLASTIC? OR FLEXIBLE (2N) M-
             ATERIAL?
S3
         6091
                ROCKING OR ROCKER OR CURV???(5N) BASE
S4
      1579009
                TOY OR TOYS OR ANIMAL? ? OR CHAIR? ?
S5
       16254
                LEATHER? OR (ANIMAL OR TANNED OR COW)()(HIDE OR HIDES OR S-
             KIN OR SKINS OR PELT OR PELTS) OR COWHIDE? ?
S6
       125523
                SKID OR SKIDS OR SKIDDED OR SKIDDING OR SLIP OR SLIPS OR S-
             LIPPED OR SLIPPING OR SLID OR SLIDING OR SLIDE? ?
S7
       700442
               PREVENT? OR STOP OR STOPS OR STOPPING OR STOPPED
S8
           88
                NONSKID???? OR NONSLIP? OR NONSLID??? OR SKIDPROOF?
S9
           85
                S1 (5N) S3
S10
           0
                S9 AND S2
S11
          209
                S3(5N)(S1 OR S4)
S12
           0
                S11 AND S5
File
       1:ERIC 1966-2005/Sep 30
         (c) format only 2005 Dialog
File 111:TGG Natl.Newspaper Index(SM) 1979-2005/Oct 24
         (c) 2005 The Gale Group
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13
         (c) 2002 The Gale Group
     94:JICST-EPlus 1985-2005/Aug W4
         (c) 2005 Japan Science and Tech Corp(JST)
File 144: Pascal 1973-2005/Oct W3
         (c) 2005 INIST/CNRS
```

```
Set
        Items
                Description
S1
       447591
                HORSE? ? OR HORSIE OR HORSEY OR EQUINE? OR STALLION OR PON-
             Y? ? OR PONIES
S2
      2737122
                FOAM?? OR RUBBER???? OR LATEX OR PLASTIC? OR FLEXIBLE (2N) M-
             ATERIAL?
S3
        70239
                ROCKING OR ROCKER OR CURV??? (5N) BASE
S4
      2328803
                TOY OR TOYS OR ANIMAL? ? OR CHAIR? ?
S5
       301430
                LEATHER? OR (ANIMAL OR TANNED OR COW)()(HIDE OR HIDES OR S-
             KIN OR SKINS OR PELT OR PELTS) OR COWHIDE? ?
S6
         2145
                S1(5N)S3
S7
                S6(S)S2
           83
S8
           57
                RD (unique items)
S9
         2209
                S1(10N)S3
S10
           84
                S9 (S) S2
S11
            1
                S10 NOT S7
         9071
                S3 (10N) (S1 OR S4)
S12
S13
          162
                S12(S)S5
S14
          136
                RD (unique items)
S15
          106
                S12 (10N)S5
S16
           83
                RD (unique items)
                SKID OR SKIDS OR SKIDDED OR SKIDDING OR SLIP OR SLIPS OR S-
S17
      1556566
             LIPPED OR SLIPPING OR SLID OR SLIDING OR SLIDE? ?
S18
      5859195
                PREVENT? OR STOP OR STOPS OR STOPPING OR STOPPED
S19
         2410
                NONSKID???? OR NONSLIP? OR NONSLID??? OR SKIDPROOF?
S20
        24759
                S17(5N)S18
                S12 (S) S5 (S) S20
S21
? show files; logoff hold
     16:Gale Group PROMT(R) 1990-2005/Oct 25
         (c) 2005 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
         (c) 1999 The Gale Group
File 148: Gale Group Trade & Industry DB 1976-2005/Oct 26
         (c) 2005 The Gale Group
File 621: Gale Group New Prod. Annou. (R) 1985-2005/Oct 26
         (c) 2005 The Gale Group
File
       9:Business & Industry(R) Jul/1994-2005/Oct 25
         (c) 2005 The Gale Group
File
     47: Gale Group Magazine DB(TM) 1959-2005/Oct 26
         (c) 2005 The Gale group
File 635:Business Dateline(R) 1985-2005/Oct 26
         (c) 2005 ProQuest Info&Learning
File
     15:ABI/Inform(R) 1971-2005/Oct 26
         (c) 2005 ProQuest Info&Learning
File 141:Readers Guide 1983-2004/Dec
         (c) 2005 The HW Wilson Co
File 484: Periodical Abs Plustext 1986-2005/Oct W4
         (c) 2005 ProQuest
File 636:Gale Group Newsletter DB(TM) 1987-2005/Oct 25
         (c) 2005 The Gale Group
File 609:Bridge World Markets 2000-2001/Oct 01
         (c) 2001 Bridge
File 610:Business Wire 1999-2005/Oct 26
         (c) 2005 Business Wire.
File 809:Bridge World Markets News 1989-1999/Dec 31
         (c) 1999 Bridge
File 810: Business Wire 1986-1999/Feb 28
         (c) 1999 Business Wire
File 613:PR Newswire 1999-2005/Oct 26
         (c) 2005 PR Newswire Association Inc
File 813:PR Newswire 1987-1999/Apr 30
         (c) 1999 PR Newswire Association Inc
```

•

File 985:World News Connection(R) 1995-2005/Oct 26

(c) 2005 NTIS

File 618:Xinhua News 1999-2005/Oct 26

(c) 2005 Xinhua News via Comtex

File 619:Asia Intelligence Wire 1995-2005/Oct 25

(c) 2005 Fin. Times Ltd

File 818:Xinhua News 1996-1999/May 26

(c) 1999 Xinhua News via Comtex

File 728:Asia/Pac News 1994-2005/Oct W4

(c) 2005 Dialog

File 481:DELPHES Eur Bus 95-2005/Oct W4

(c) 2005 ACFCI & Chambre CommInd Paris

8/3,K/37 (Item 1 from file: 635)
DIALOG(R)File 635:Business Dateline(R)
(c) 2005 ProQuest Info&Learning. All rts. reserv.

0634565 95-91059

Rock to beat of success

Van Hulzen, Lara M

Colorado Springs Business Journal (Colorado Springs, CO, US), V7 N25 s1 p1

PUBL DATE: 950915

WORD COUNT: 695

DATELINE: Colorado Springs, CO, US, Mountain

TEXT:

...from the truth.

Five years ago, Bridenbaker started Rocking K Corral, which makes life-size **rocking** horses that even adults can ride. Bridenbaker got the idea from a dream she had that...

...horses together. Each horse is made of solid wood, then padded with an inch of **foam** . Then each is covered with a slipcover of teddy bear fur. The largest horse is...

```
Set
       Items
               Description
S1
       658719
               HORSE? ? OR HORSIE OR HORSEY OR EQUINE? OR STALLION OR PON-
            Y? ? OR PONIES
S2
       821962
              FOAM?? OR RUBBER???? OR LATEX OR PLASTIC? OR FLEXIBLE (2N) M-
            ATERIAL?
S3
       75939
              ROCKING OR ROCKER OR CURV???(5N)BASE
S4
     1675862
               TOY OR TOYS OR ANIMAL? ? OR CHAIR? ?
S5
      242196
               LEATHER? OR (ANIMAL OR TANNED OR COW) () (HIDE OR HIDES OR S-
            KIN OR SKINS OR PELT OR PELTS) OR COWHIDE? ? OR SUEDE?
S6
        2825 S1(10N)S3
S7
               S6(S)S2
          45
               RD (unique items)
S8
          35
               S3(10N)(S1 OR S4)
S9
        9419
S10
         155
               S9(S)S5
               RD (unique items)
S11
         137
          54 S11 NOT (PY=2002:2005)
S12
File 20:Dialog Global Reporter 1997-2005/Oct 27
         (c) 2005 Dialog
File 781:ProQuest Newsstand 1998-2005/Oct 26
         (c) 2005 ProQuest Info&Learning
```



home | pay | register | sign in | site map

Start new search

Search

♦Sun

Sell

My eBay

Community

Help

Advanced Search Java™

TECHNOLOGY)


Listed in category: Toys & Hobbies > Classic Toys > Rocking Horses

VINTAGE~ MUSICAL ROCKING "DONKEY" HORSE ~ **TODDLER**

Item number: 5911950743

Buyer or seller of this item? Sign in for your status

Watch this item in My eBay | Email to a friend



Larger Picture

FBuyIt Now price: US \$28.50

Buy It Now >

Item location:

Brownsboro, AL **United States**

Ships to:

Worldwide

Shipping costs: US \$12.50 - US Postal Service

Parcel Post® (within United States)

Shipping, payment details and return policy

Seller information

<u>richjunk</u> (2793 🍁)



Feedback Score: 2793 Positive Feedback:

99.7%

Member since Jan-11-99 in United States

Read feedback comments Add to Favorite Sellers Ask seller a question

View seller's other items

Store view | List view


Visit this seller's eBay Store!


Richjunk

PayPal Buyer Protection Free Coverage now up to \$1,000.

See eligibility.

Description







RICHJUNK

"Quality Memorabilia with Fast & Friendly Service"

Vintage Rocking Musical "Donkey" Horse for toddlers Has a musical rattle while rocking back & forth

Body has a very "dense" type stuffing and is covered with cloth. On the very botttom is a leather type wear pad

No mfg. tag ~ Cloth shows a couple of soiled spots (which I have not tried to clean)

Very heavy for it's size

Aprox. 20" long x 13" tall and weighs 6 lbs. before packing

Actual Shipping Cost

No Handling Charges


RICHJUNK


Auctions ~ Store ~ Policies

Worldwide Shipping





















Vintage Matchbook Cover

~ Rockefeller Center

Tobacco

US \$5.00 FBuyIt Now,



Vintage Matchbook Cover

~ Buy War Bonds
Stamps

US \$5.00 FBuylt Now



Old Hotel M Cover ~ W Beverly





Shipping, payment details and return policy

Shipping Cost

Services Available

Available to

US \$12.50

US Postal Service Parcel Post®

United States Only

Will ship to Worldwide.

Shipping insurance US \$1.30 Optional

Seller's payment instructions

Paypal is preferred but money orders and checks are okay too. May hold personal checks a few days for bank Please mail payment to: Jim Turner, P.O. Box 6, Brownsboro, AL, 35741 ~ Thanks, Jim

Payment methods accepted

This seller, richjunk, prefers PayPal.




- Personal check
- Money order/Cashiers check
- Other See Payment Instructions for payment methods accepted <u>Learn about payment methods</u>.

Ready to buy?

VINTAGE~ MUSICAL ROCKING "DONKEY" HORSE ~ TODDLER

FBuy!t Now price: US \$28.50



Purchase this item now without bidding. <u>Learn about Buy It Now.</u>

What else can you do?

Back to home page | Ask seller a question | Printer Version

Seller assumes all responsibility for listing this item.

About eBay | Announcements | Security Center | Policies | Site Map | Help

Copyright © 1995-2005 eBay Inc. All Rights Reserved. Designated trademarks and brands are the property of their respective owners. Use of this Web site constitutes acceptance of the eBay <u>User Agreement</u> and <u>Privacy Policy</u>.

eBay official time

My Shopping



Local^{New!} Web Images Groups <u>News</u> Froogle more »

ocking horse leather

Search Froogle

Results 91 - 97 of about 97 results for rocking horse leather. (0.03 seconds)

Advanced Froogle Se <u>Preferences</u>

Froogle

Find Rocking Horse We have what you're looking for. Rocking Horse & much more!

Rocking horse

Everything you need for Baby Here Brand Names & Low Prices aff BabyUniverse.com

Wooden Rocking Horse Unique and educational toys Wooden Rocking Horse for Children www.onceatoy.com

Sort by: Relevance

Spons

V

Price Range

Under \$300 \$300 - \$1,100 <u>\$1,100 - \$3,000</u> Over \$3,000

www.eWoss.com

\$ to Go

Category

All Categories

Home & Garden Home Furnishings <u>Furniture</u> **Chairs** Baby Furniture Toys & Games Other Toys

Stores

BabyUniverse.com **BJ** Imports eBay <u>farmgoodsforkids</u> **GoAntiques Shop Easy** SHOP.COM SHOP.COM Outlet TIAS.com WhatSheBuys.com List view - Grid view

Wood statuette, 'Buttermilk Mare'

... this buttermilk mare wears a smooth leather saddle and bridle. ... Thereafter, I developed new designs including statuettes, rocking, ... Add to Shopping List

\$137.95

Shop Easy

image not available Live From Siberia

... Wet Levi - former leather panted drummer of Porn Rock - was mercilessly ... downed a shot of whiskey and haven't stopped rocking since. ... Add to Shopping List

\$12.99 Tower Records



Wood statuette, 'Golden Palomino'

Thereafter, I developed new designs including statuettes, rocking, and swinging horses. "I have been quite successful, perhaps because I pay ... Add to Shopping List

\$79.95 Shop Easy

Vintage~ Musical Rocking "Donkey" Horse

~ Toddler

... Service'

Vintage Rocking Musical "Donkey" Horse for toddlers Has a musical rattle while ... Add to Shopping List

eBav

\$28.50



Breyer Horses Rocket Plush - NIB

Item: 4585 Rocket is no ordinary rocking horse! ... He's outfitted in an authentic leather-like English riding saddle, ... Add to Shopping List

\$164.50 eBay ****

631 merchant ratings

\$1,395.00

eBay

631 merchant ratings



ROCKING R 16" Wade / Ranch / Roping Saddle

A+ HANDCRAFTED 16" BULLHIDE COVERED TREE, LARGE D-RINGS, **LEATHER** BILLETS. HEAVY DUTY BACK CINCH INCLUDED, FULL QUARTER HORSE BAR FIT, ...

Add to Shopping List

Wooden Hose Pull Toy Well Made Jonas F

\$9.99



King

... turns wheels and moves legs. fur mane and tail, leather ears. bottom has tag that says jonas f king. check out my other toy auctions. ... Add to Shopping List

eBay

631 merchant ratings

◆ Froooooooogle

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10

Froogle doesn't charge for inclusion in its search results or accept payment for better placement. To list your products in Froogle, upload your product catalog.

Rocking Horse
Info on Rocking Horse
From Several Different Companies.
www.UncoverTheNet.com

Wood Rocking Horse
Hand carved and painted hardwood.
Great and unique gift
www.cookincampers.com

Safety Rocking Horses
Handmade in England by
Merrythought
multi currency - global shipping
EnglishToys.com

Spons

rocking horse leather




Information for Merchants | Froogle Help

Google Home - Advertising Solutions - Business Solutions - About Google

©2005 Google

PROJECT ROCKING HORSE

HOME CUISINE ENVIRONMENT INSURANCE HORSES LEGENDS LAW NEWS PRODUCE RIGHTS SITE INDEX TRANSPORT WHISTLEBLOWING



Polystyrene block roughly carved

GEMMA BUILDS A ROCKING HORSE

One day Gemma decided to build a large rocking horse. She had to build her own because ready made ones were to expensive and too small. The problem is how could she make a large horse on a small budget? The answer was to make a mould and use glass reinforced plastic (GRP) or fiberglass.



Polystyrene rough first shaping

See Gemma's other projects: Robot Design Electric Cycle Windmill Generator

We believe every horse, pony and donkey has the right to be part of a loving family where it will be cared for and loved to the end of its natural life.

HORSE SANCTUARY UK LIMITED is a company with charitable objects Registered in England and Wales No. 4593172

For all initial enquiries about our charity contact: nelson@bushywood.com Mobile: 07905 147709



Web <u>Images</u> <u>Groups</u> <u>News</u> <u>Froogle</u> <u>Local New!</u> <u>more</u> »

foam OR rubber "rocking horse"

Search Advanced Search Preferences

Web

Results 31 - 40 of about 203,000 for foam OR rubber "rocking horse". (0.11 seconds)

Foam rubber

Sponsored Links

SHOP.COM Shop for **Foam rubber** from SHOP.COM Tons of products, just one account!

Rocking Horses on Sale

www.allkidsstuff.com Great selection and variety wide price range available

MAKE YOUR OWN ROCKING HORSE, HAILSHAM COMMUNITY COLLEGE, HAILSHAM ...

One day Gemma decided to build a large **rocking horse**. ... Gemma decided it would

be easy to shape her horse from expanded polystyrene **foam**. ... www.bushywood.com/ www.horsesanctuary.org/rocking_horse.htm

- 8k - Cached - Similar pages

Childrens Wooden Toys: Folding Rocking Horse

Made from clear finished rubber tree wood with a formed plywood seat. ...

Noric Folding **Rocking Horse** by Plan Toys - Visit us for Noric folding **rocking** ...

www.wooden-toys-uk.com/Folding_Rocking_Horse.php - 14k - Cached - Similar pages

Rocking Horse Toys and Gifts - Brisbane, Southeast, Queensland

Rocking Horse Toys and Gifts has toys suitable for infants to 8 year olds ...

Realistically designed with working lights and siren and soft **rubber** wheels. ...

www.therockinghorsetoylibrary.com.au/ toysales/result.asp? CatB=Pretend%20Play&Page=3 - 38k - <u>Cached</u> - <u>Similar pages</u>

Rocking Horse Toys and Gifts - Brisbane, Southeast, Queensland

Rocking Horse Toys and Gifts has toys suitable for infants to 8 year olds with a

... designed with pivoting interchangeable trailer and soft rubber wheels. ...

www.therockinghorsetoylibrary.com.au/toysales/ result.asp? CatA=Cars,%20Trucks%20and%20Planes&Page=3 - 38k - Cached - Similar pages

Sponsored Links

Rocking Horses & Toys

Great selection & low, low prices. Free shipping for orders above \$69! www.ekydz.com Virginia

Wonderful Rocking Horses

Amish Handmade Wood **Rocking** Horses Amish home, doll, kids items & toys www.christianreligiousgiftshop.com

Rocking Chairs & Horses
Wide variety of rocking animals,
planes, and chairs for children.

www.rocking-chairs.com

Foam Fabricators

Manufacturers resource guide to foam fabricators with links, rfqs. www.lndustrialQuickSearch.com

Wooden Baby Rocking Horse
Personalized Wooden Rocking Horse.
Beautifully painted. Great Price.
Giftique1.com

Foam Rubber Foam Rubber & More! 200,000 Stores. Deals. Reviews. Yahoo.com

Foam Rubber

Looking for Foam Rubber?
Find exactly what you want today www.eBay.com

Plush Rocking Horse

Kids will have a "rockin' good time High Quality Very Affordable www.commissarytoys.com

More Sponsored Links »

Novelty Gifts Home Decor Home Yard Decor

Cast iron **rocking horse** is full-bodied and delightfully colored to be the center of ... Heavy gauge steel construction, solid **rubber** tires, 9 more details. ... www.vandykes.com/subcategory/131/ - 67k - Oct 25, 2005 - Cached - Similar pages

<u>Freeola Customer Sites Showcase - A free index of web sites ...</u>

Manufacturers of equestrian rubber for paddocks. 99% wire free rubber. ...

and horse sculptures, antique rocking horses and **rocking horse** restoration. ... freeola.com/customer-sites/category. php?category=143&catname=Equestrianweb+sites - 28k - Cached - Similar pages

Baby Rocking Horse: Adventure Toys

Wonderful wooden **rocking horse** that is adaptable for the growing toddler. ... The horse has **rubber** stoppers on the bow rockers to stop an enthusiastic rider ... www.adventuretoys.co.uk/prodpage.asp?ProdID=549 - 23k - Cached - Similar pages

Rock and Ride - Traditional and Wooden Toys

This colourful and robust train is made from replenishable **rubber** wood and has ... **Rocking Horse** Ref: BP001C Quirky styling and a great deal of rocking fun. ... www.theraggedrascal.co.uk/acatalog/Rock.html - 28k - Cached - Similar pages

Buy a Wooden Rocking Horse O)nline


ROCKING HORSE and other games and toys at The Kids Window - ROCKING HORSE. ...

Organise the coloured discs on the foam board exactly the way they appear in ...

www.thekidswindow.co.uk/games/selling. asp?product=RRO0800&linkpage=results.asp--item=RRO - 20k - Cached - Similar pages

Rocking Horse Records

Rocking Horse Records 245 Albert St Brisbane, QLD ... buy it > \$AUD 34.95BOOTSY'S RUBBER BAND - STRETCHIN' OUT IN LP (RHNA76445-1) ... www.rockinghorse.net/genre.php?hits=0& genre=FUNK&stock=&med= - 31k - Cached - Similar pages



Result Page: <u>Previous 1 2 3 4 5 6 7 8 9 10111213</u> Next

foam OR rubber "rocking horse" Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Set	Items	Description
S1	8	AU=KUEGLER J?
S2	1	S1 AND (ROCKING()HORSE?)
S3	1	S1 AND ROCKING
File	347:JAPIO	Nov 1976-2005/Jun(Updated 051004)
	(c) 20	05 JPO & JAPIO
File	350:Derwen	t WPIX 1963-2005/UD,UM &UP=200568
	(c) 20	05 Thomson Derwent

```
2/5/1
           (Item 1 from file: 350)
DIALOG(R) File 350: Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.
013311991
             **Image available**
WPI Acc No: 2000-483928/200043
XRAM Acc No: C00-145835
XRPX Acc No: N00-359641
  Child's rocking toy e.g. stylized rocking horse, comprises semi-rigid
  plastic foam with wear resistant curved base
Patent Assignee: KUEGLER J (KUEG-I)
Inventor: KUEGLER J
Number of Countries: 024 Number of Patents: 010
Patent Family:
Patent No
             Kind
                    Date
                            Applicat No
                                           Kind
                                                Date
                                                          Week
DE 19860830
                                          A
              A1
                  20000706 DE 198060830
                                                19981230 200043 B
WO 200040314
              A1
                  20000713 WO 99EP10482
                                                19991230
                                          Α
                                                         200043
EP 1146938
              A1 20011024 EP 99965584
                                           Α
                                                19991230
                                                         200171
                            WO 99EP10482
                                           Α
                                                19991230
KR 2001086463 A
                  20010912 KR 2001708132
                                          Α
                                                20010625
                                                         200219
CN 1332651
              A
                  20020123 CN 99815230
                                          Α
                                                19991230 200231
JP 2002534174 W
                  20021015 WO 99EP10482
                                          Α
                                                19991230 200282
                            JP 2000592062
                                          Α
                                               19991230
EP 1146938
              B1
                  20030409 EP 99965584
                                               19991230 200325
                                           Α
                            WO 99EP10482
                                           Α
                                               19991230
DE 59905007
                  20030515 DE 99505007
                                           Α
                                               19991230 200340
                            EP 99965584
                                           Α
                                               19991230
                            WO 99EP10482
                                           Α
                                               19991230
ES 2192100
              T3
                  20030916 EP 99965584
                                           Α
                                               19991230 200368
US 20040259461 A1 20041223 WO 99EP10482
                                               19991230 200504
                                           Α
                            US 2001869272
                                          Α
                                                20010626
                            US 2004790616
                                          Α
                                                20040301
Priority Applications (No Type Date): DE 198060830 A 19981230
Patent Details:
Patent No Kind Lan Pg
                        Main IPC
                                    Filing Notes
DE 19860830 A1
                    4 A63G-015/00
WO 200040314 A1 G
                      A63G-013/06
   Designated States (National): CA CN JP KR US
   Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LU
  MC NL PT SE
EP 1146938
             A1 G
                      A63G-013/06
                                    Based on patent WO 200040314
   Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
   LU MC NL PT SE
KR 2001086463 A
                      A63G-013/06
CN 1332651 A
                      A63G-013/06
JP 2002534174 W
                   14 A63G-013/06
                                    Based on patent WO 200040314
EP 1146938
           B1 G
                      A63G-013/06
                                    Based on patent WO 200040314
   Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
   LU MC NL PT SE
DE 59905007
                      A63G-013/06
                                    Based on patent EP 1146938
                                    Based on patent WO 200040314
ES 2192100
             Т3
                      A63G-013/06
                                    Based on patent EP 1146938
US 20040259461 A1
                       A63H-033/00
                                    Cont of application WO 99EP10482
                                    Cont of application US 2001869272
Abstract (Basic): DE 19860830 A1
       NOVELTY - Unitary main body (1) of child's rocking toy comprises
   resilient plastic. Its base has a singly curved surface (2). The seat
   area (3) is molded in .
```

USE - Used as a rocking horse . Brings visible delight and

healthy exercise. ADVANTAGE - There is no danger of trapping between a fixed object and the toy. There are no potentially dangerous mechanical linkages. Stylization offers a more simply manufactured shape. The seat can be formed in deeply for good support, to prevent falls. The broad base enhances stability. DESCRIPTION OF DRAWING(S) - Toy in perspective view. Main body (1) Base (2) Seat (3) pp; 4 DwgNo 1/2 Title Terms: CHILD; ROCK; TOY; STYLE; ROCK; HORSE; COMPRISE; SEMI; RIGID; PLASTIC; FOAM; WEAR; RESISTANCE; CURVE; BASE Derwent Class: A86; P36 International Patent Class (Main): A63G-013/06; A63G-015/00; A63H-033/00 International Patent Class (Additional): A63H-033/00 File Segment: CPI; EngPI